

# STERILITY TESTING OF PHARMACEUTICAL PRODUCTS



Tim Sandle

---

---

# CONTENTS

|  |             |
|--|-------------|
| <b>Introduction</b>                                | <b>xiii</b> |
| <b>I STERILITY</b>                                 | <b>I</b>    |
| Introduction                                       | I           |
| Sterility  | 3           |
| Microorganisms and Microbial Growth                | 5           |
| Types of microorganisms                            | 7           |
| Sterilization and microbial kill                   | 8           |
| Microbial viability                                | 9           |
| Microbial Contamination of Pharmaceutical Products | 11          |
| Air  | 12          |
| People   | 13          |
| Equipment and materials                            | 13          |
| Water  | 14          |
| Sterile Products                                   | 15          |
| Sterilization                                      | 18          |
| Sterility Assurance                                | 21          |
| The Sterility Test                                 | 25          |
| Conclusion   | 28          |
| References   | 28          |

|  |           |
|--|-----------|
| <b>2 HISTORY OF THE STERILITY TEST</b>                         | <b>37</b> |
| Introduction   | 37        |
| Origins of Sterility Test                                      | 38        |
| 1930s  | 41        |
| 1940s  | 42        |
| 1950s  | 45        |
| 1960s  | 46        |
| 1970s  | 47        |
| 1980s  | 48        |
| 1990s  | 49        |
| 2000s  | 50        |
| The Future   | 53        |
| Conclusion   | 54        |
| References   | 54        |
| <b>3 STERILITY TEST REGULATIONS</b>                            | <b>61</b> |
| Introduction   | 61        |
| Pharmacopeia: USP, Ph.Eur., and JP                             | 62        |
| International Pharmacopeia                                     | 64        |
| Code of Federal Regulations                                    | 64        |
| FDA  | 69        |
| EU GMP   | 70        |
| PIC/S  | 71        |
| TGA  | 74        |
| ICH  | 76        |
| Conclusion   | 76        |
| References   | 76        |
| <b>4 STERILITY TEST: THE PHARMACOPEIA CULTURE BASED METHOD</b> | <b>79</b> |
| Introduction   | 79        |
| Sterility Test Methods   | 80        |
| Test Controls  | 84        |
| Environmental Monitoring                                       | 85        |
| Sample Incubation and Reading                                  | 86        |
| Sterility Test Failures  | 89        |

|  |     |
|--|-----|
| Culture Media                          | 90  |
| Fluid Thioglycollate Medium            | 90  |
| Soy-bean casein digest medium          | 91  |
| Test Environment                       | 92  |
| Method Validation (Method Suitability) | 93  |
| Validation method                      | 95  |
| Re-validation                          | 96  |
| GMP Requirements                       | 97  |
| Cellular Products                      | 97  |
| Radiopharmaceuticals                   | 99  |
| Gene Therapy Products                  | 100 |
| Products Containing Preservatives      | 101 |
| Combination Products                   | 102 |
| Conclusion                             | 103 |
| References                             | 104 |

## 5 PRACTICAL APPROACHES TO STERILITY TESTING

|   |     |
|---|-----|
| Introduction                                    | 107 |
| Validation                                      | 109 |
| Practical Approaches for “Difficult” Products   | 109 |
| Membrane filtration                             | 110 |
| Type of membrane filter                         | 110 |
| Pump speed                                      | 111 |
| Direct inoculation                              | 114 |
| Type of neutralizing agent                      | 114 |
| Dilution  | 115 |
| Turbid samples                                  | 116 |
| For both techniques                             | 117 |
| Summary   | 118 |
| Some Examples of Testing “Special” Products     | 118 |
| Antibiotics                                     | 118 |
| Oily samples                                    | 120 |
| Other ointments and creams                      | 121 |
| Anti-cancer treatments and radiopharmaceuticals | 121 |
| Implants  | 122 |
| Sterile aerosols                                | 122 |
| Cell lines                                      | 123 |

|   |            |
|---|------------|
| Fibrin sealant  | 124        |
| Dressings   | 124        |
| Solid articles that cannot be tested using the standard methods | 124        |
| Transfusion or infusion assemblies                              | 125        |
| Conclusion  | 125        |
| References  | 126        |
| <br>  |            |
| <b>6 CONTROLLED ENVIRONMENTS FOR STERILITY TESTING</b>          | <b>129</b> |
| Introduction  | 129        |
| UDAF Devices in a Conventional Cleanroom                        | 130        |
| The unidirectional airflow cabinet                              | 131        |
| The cleanroom   | 133        |
| Gowning procedure   | 134        |
| Conducting the test   | 134        |
| Isolators for Sterility Testing                                 | 135        |
| Basic concept   | 135        |
| Sanitization of isolators                                       | 136        |
| Pre-cycle disinfection  | 138        |
| Preparing the isolator or gassing port                          | 138        |
| Sanitization cycle  | 139        |
| Monitoring the sanitization cycle                               | 142        |
| Validation of isolators   | 143        |
| Maintenance of isolators  | 146        |
| Background environment  | 148        |
| Environmental Monitoring of the Sterility Test                  | 149        |
| Sample types  | 150        |
| Culture media   | 152        |
| The monitoring plan   | 154        |
| Microbial identification  | 154        |
| Particle counting   | 155        |
| The cleanroom   | 156        |
| Conclusion  | 156        |
| References  | 156        |

|  |            |
|--|------------|
| <b>7 CULTURE MEDIA FOR THE STERILITY TEST</b>                | <b>161</b> |
| Introduction   | 161        |
| Media used for the Test for Sterility                        | 163        |
| Soybean-Casein Digest Medium (Trypticase Soy Broth/          |            |
| Tryptone Soy Broth   | 163        |
| Fluid Thioglycollate Medium                                  | 165        |
| Rinse fluids   | 166        |
| Environmental monitoring                                     | 166        |
| Media used for Environmental Monitoring                      | 166        |
| Manufacture of Culture Media                                 | 168        |
| Quality Control of Culture Media                             | 169        |
| Test Panel of Microorganisms                                 | 170        |
| Preparation of Microorganisms                                | 172        |
| Microbial Challenge Level                                    | 173        |
| Testing Culture Media  | 174        |
| Post-inoculation Incubation                                  | 175        |
| Purity of Cultures   | 175        |
| Sterility Test of Culture Media                              | 176        |
| Frequency of Testing   | 176        |
| Expiry Time Testing  | 176        |
| Storage of Media   | 177        |
| Conclusion   | 177        |
| References   | 178        |
| <b>8 RAPID AND ALTERNATIVE METHODS FOR STERILITY TESTING</b> | <b>181</b> |
| Introduction   | 181        |
| Rapid and Alternative Methods                                | 184        |
| Rapid Sterility Test Methods                                 | 185        |
| Growth based technologies                                    | 186        |
| Viability based  | 187        |
| Cellular component methods                                   | 188        |
| Overview   | 189        |
| Pharmacopeial Guidance                                       | 190        |
| Validation Requirements                                      | 191        |
| Qualitative tests for presence/absence                       | 193        |
| Quantitative tests for enumeration                           | 194        |
| Implementing a Change  | 195        |

|  |            |
|--|------------|
| Barriers to Implementation                                 | 199        |
| Conclusion   | 200        |
| References   | 200        |
| <b>9 INVESTIGATING STERILITY TEST FAILURES</b>             | <b>205</b> |
| Introduction   | 205        |
| Sterility Test Failure Investigations                      | 206        |
| Immediate Actions  | 207        |
| Conducting Investigations                                  | 208        |
| Test laboratory  | 209        |
| Manufacturing  | 213        |
| Sterility Test and Process Area Link                       | 217        |
| Genotypic microbial identification                         | 218        |
| Re-testing the Finished Product Batch                      | 218        |
| Concluding Sterility Test Failure Investigations           | 219        |
| Product Impact Assessment                                  | 220        |
| Conclusion   | 222        |
| References   | 223        |
| Appendix: Sterility Test Failure Investigation Checklist   | 225        |
| <b>10 AUDITING STERILITY TESTING</b>                       | <b>233</b> |
| Introduction   | 233        |
| The Quality Audit  | 234        |
| Types of Quality Audits                                    | 236        |
| The Audit Process  | 236        |
| Approaching Audits   | 239        |
| Non-compliances  | 240        |
| Audits as Preparations for Regulatory Inspections          | 240        |
| The Use of Risk Assessment for the Audit Process           | 240        |
| Auditing Sterility Testing: The Focal Points               | 243        |
| Strategy for microbiological control                       | 243        |
| Sample receipt   | 243        |
| Product sample testing and the sterility test              | 244        |
| Sterility test facility                                    | 245        |
| Media control and testing                                  | 248        |
| Incubator, refrigerator and freezer control and monitoring | 250        |

|  |     |
|--|-----|
| Culture collections  | 251 |
| Environmental monitoring   | 251 |
| Isolate identification, Gram stain techniques and ID system validation | 252 |
| Autoclave control  | 253 |
| Sterilization, cleaning and disinfection validation efficacy           | 253 |
| Microbiological training of laboratory and production staff            | 254 |
| Atypical results and OOS procedures                                    | 254 |
| Other aspects of the laboratory  | 255 |
| Quality systems  | 255 |
| Change control   | 255 |
| Annual product reviews   | 256 |
| Reporting the Audit  | 257 |
| Conclusion   | 258 |
| References   | 259 |
| Appendix: A Sterility Testing Audit Checklist                          | 261 |

|   |            |
|---|------------|
| <b>II EVALUATING THE STERILITY TEST</b>   | <b>267</b> |
| Introduction  | 267        |
| The Limitations of the Sterility Test   | 268        |
| The Statistical Limitations of Sampling for the Sterility Test                          | 268        |
| Example 1: Selecting specific contaminated containers from a batch                      | 269        |
| Example 2: Chance of passing a sterility test where contamination is present in a batch | 270        |
| Example 3: Further cases examining the difficulty of detecting non-sterility in a batch | 272        |
| The Inherent Weaknesses of the Pharmacopeia Culture Based Method                        | 273        |
| Suitability of culture media  | 275        |
| Physiological state of contaminating microorganisms                                     | 276        |
| Viable but non-culturable microorganisms  | 277        |
| Methodological limitations of the culture based method                                  | 278        |
| Time to result  | 279        |
| Environmental Control   | 280        |
| Post-manufacturing Contamination: Container Seals and GDP                               | 282        |
| Conclusion  | 284        |
| References  | 285        |

|   |            |
|---|------------|
| <b>12 ALTERNATIVES TO STERILITY TESTING: PARAMETRIC RELEASE</b> | <b>291</b> |
| Introduction  | 291        |
| Regulatory Documents for Parametric Release                     | 293        |
| US documents  | 294        |
| EU and global documents   | 295        |
| ISO standards   | 295        |
| Sterile Product Suitability for Parametric Release              | 295        |
| Risk Assessing the Manufacturing Process                        | 296        |
| Risk based application for parametric release                   | 297        |
| Ongoing risk assessment of the process                          | 299        |
| Requirements for Parametric Release                             | 301        |
| Quality Management Systems                                      | 301        |
| Other quality documents   | 302        |
| Validation  | 302        |
| Biological indicator validation                                 | 303        |
| Purity  | 304        |
| Population  | 304        |
| D-value   | 304        |
| Process Definitions   | 306        |
| Product Definition and Design Control                           | 306        |
| Equipment, Facility Design and Qualification                    | 307        |
| Process Steps   | 309        |
| Cleaning and decontamination                                    | 309        |
| Inspection and assembly   | 310        |
| Packaging, including the materials and techniques               | 310        |
| Sterilizer loading  | 310        |
| Sterilization cycle   | 310        |
| Storage and distribution  | 311        |
| Record keeping  | 311        |
| Microbial Control   | 311        |
| Environmental control monitoring                                | 311        |
| Bioburden and endotoxin control                                 | 313        |
| Pre-sterilization product bioburden                             | 314        |
| Personnel Training  | 314        |
| Change Control  | 315        |
| Release Procedure   | 315        |
| Conclusion  | 317        |
| References  | 318        |

|   |            |
|---|------------|
| <b>13 FINAL PRODUCT RELEASE</b>   | <b>323</b> |
| Introduction  | 323        |
| Final Products  | 324        |
| Terminally Sterilized and Aseptically Filled Products                                     | 326        |
| The Microbiological Assessment  | 327        |
| Review of processing  | 328        |
| Materials   | 329        |
| In-process bioburden  | 329        |
| Sterilization   | 330        |
| Equipment records   | 331        |
| Cleanroom and facility operations   | 331        |
| Water bioburden and endotoxin   | 331        |
| Sterile filtration  | 332        |
| Environmental monitoring  | 332        |
| Quality control tests   | 338        |
| Final product testing   | 338        |
| Endotoxin and pyrogenicity  | 339        |
| The sterility test  | 339        |
| Conclusion  | 340        |
| References  | 341        |
| <b>14 THE STERILITY TEST AND STERILE PRODUCTS: THOUGHTS ON DEFINITION AND APPLICATION</b> | <b>343</b> |
| Introduction  | 343        |
| Sterility: A Return to the Definition   | 344        |
| The Manufacture of Sterile Products   | 345        |
| The Sterility Test  | 347        |
| Assessing the Sterility of Sterile Products   | 352        |
| Conclusion  | 353        |