



Technical Report No. 13 (Revised 2022)

Fundamentals of an Environmental Monitoring Program



Fundamentals of an Environmental Monitoring Program Team

Authors and Contributors

Marc Glogovsky, ValSource, Inc (co-chair)

Kurt Jaecques, GSK Vaccines (co-chair)

Dilip R. Ashtekar, PhD, RCMS Consulting Services LLC

Amanda Bishop-McFarland, ValSource, Inc.

Phil DeSantis, DeSantis Consulting Associates

Guenther Gapp, Gapp Quality GmbH

Gabriele Gori, Thermo Fisher Scientific

Rikke Højlund, Novo Nordisk

Andrew Hopkins, Abbvie

Jeanne Mateffy, Amgen, Inc.

Greg McGurk, Regeneron Pharmaceuticals, Inc.

Heike Merget-Millitzer, PhD, Johnson & Johnson

Michael Miller, PhD, Microbiology Consultants, LLC

Jeanne E. Moldenhauer, Excellent Pharma Consulting, Inc.

Dona B. Reber, Pfizer

Dawn Watson, Merck & Co., Inc., Kenilworth, NJ, USA

Tim Sandle, PhD, Bio Products Lab Limited

Fundamentals of an Environmental Monitoring Program

Technical Report No. 13 (Revised 2022)

ISBN: 978-1-945584-31-2
© 2022 Parenteral Drug Association, Inc.
All rights reserved.



Table of Contents

1.0 INTRODUCTION	1	6.3 Air	31
1.1 Purpose	1	6.3.1 Total Airborne Particulate Monitoring	31
1.2 Scope	1	6.3.2 Viable Particulates	32
2.0 GLOSSARY AND ABBREVIATIONS.....	2	6.4 Surface Monitoring	33
2.1 Abbreviations.....	5	6.4.1 Monitoring Considerations.....	33
3.0 ENVIRONMENTAL CLASSIFICATIONS: REGULATORY EXPECTATIONS	5	6.5 Personnel Considerations	34
4.0 ENVIRONMENTAL MONITORING QUALIFICATION OF CLEANROOMS (CLASSIFIED AREAS) USED FOR MANUFACTURING AND FILLING OF STERILE PRODUCTS	11	6.5.1 Training and Certification of Personnel for Aseptic Manufacturing Areas	34
5.0 ENVIRONMENTAL MONITORING PROGRAM.....	12	6.5.2 Causes for Requalification or Retraining	34
5.1 Cleaning, Sanitization or Disinfection and Decontamination	13	6.6 Environmental Monitoring During Product Sterility Testing	35
5.2 EM Sample Site Selection Using Risk Management Principles	13	6.7 Environmental Monitoring in Grade A Air Supply.....	35
5.3 Alert Levels and Action Limits	18	6.8 Water	35
5.3.1 Nonparametric Approach.....	19	6.8.1 Sample Site Selection and Frequency of Monitoring	37
5.3.2 Nonparametric Tolerance Limit Approach	19	6.8.2 Sample Collection and Testing	37
5.3.3 Cutoff Value Approach.....	19	6.9 Compressed Gas Monitoring	38
5.3.4 Quantitative and Qualitative Trending Rules	20		
5.4 Data Management	21		
5.4.1 Data Integrity	22		
5.4.2 Data Trending Analysis	23		
5.4.3 Interpretation	23		
5.5 Rapid Microbiological Methods in Environmental Monitoring	24		
5.5.1 Rapid Microbiological Method Scientific Principles Applied to Environmental Monitoring.....	25		
5.5.2 Benefits of Using Rapid Microbiological Methods	26		
5.5.3 Validation of Rapid Microbiology Methods and Equipment	26		
5.6 Identification of Isolates	27		
5.7 Investigations and Corrective Actions.....	28		
5.8 Documentation	29		
6.0 ENVIRONMENTAL MONITORING BY MANUFACTURING APPLICATION	30		
6.1 Terminal Sterilization	30		
6.2 Aseptic Processing.....	30		
6.2.1 Isolation Technology	31		
7.0 ENVIRONMENTAL MONITORING PREREQUISITES	38		
7.1 Facility Design	39		
7.2 Selection of Microbiological Culture Media for EM Testing.....	39		
7.3 Selection of Microorganisms for Growth Promotion	40		
7.4 Sample Holding Studies and Transport.....	40		
7.5 Environmental Monitoring Sample Incubation Strategy and Validation	40		
7.6 Environmental Monitoring Equipment Qualification	40		
7.7 Microbiology Analyst or Operator Training and Qualification	41		
8.0 REFERENCES.....	41		
9.0 APPENDIX 1: QUALIFICATION OF CLEANROOMS (CLASSIFIED AREAS) USED FOR MANUFACTURING AND FILLING OF STERILE PRODUCTS.....	43		
9.1 Purpose	43		
9.2 Scope	43		
9.3 Procedure	44		
9.3.1 Installation Qualification (IQ).....	44		
9.3.2 Operational Qualification (OQ)	45		
9.3.3 Routine Recertification	46		
10.0 APPENDIX 2: RISK ASSESSMENT EXAMPLES	48		
10.1 Example of an HACCP	53		

FIGURES AND TABLES INDEX

Table 3.0-1	Cleanroom Monitoring – Airborne Particulate Limits.....	8	Table 6.8.2-1	Typical Pharmaceutical Water and Clean Steam Distribution System Guidelines	38
Table 3.0-2	Environmental Monitoring Requirements/Guidance	9	Table 9.3.2-1	OQ Testing Requirements (At Rest)	46
Figure 5.2.1-1	Overview of the Lifecycle Approach to Risk Assessment of an EM Program.....	14	Table 9.3.3-1	Routine Area Recertification	47
Table 5.4.4-1	Contamination Recovery Rates Suggested by USP Chapter <1116>	24	Table 10.0-1	Example: Failure Mode and Effects Analysis (FMEA)	48
Table 5.6-1	Typical Scheme for Microbial Identification	27	Figure 10.0-1	Example: BioPhorum Model for a Typical Filling Line	51
Table 5.7-1	Examples of Investigation Elements for Different Systems	28	Table 10.0-2	Filling Line Activities and Associated Risk Rankings for a Closed RABS or isolator filling line	52
Table 6.8-1	Examples of measurements critical to water for Injection manufacturing and distribution process	36	Table 10.0-3	EM Table Template example.....	53
			Figure 10.1-1	HACCP Principles and Application	54
			Table 10.1-1	Application of HACCP Methodology to Pharmaceuticals	55



Bethesda Towers
4350 East West Highway
Suite 600
Bethesda, MD 20814 USA
Tel: +1 (301) 656-5900
Fax: +1 (301) 986-0296
E-mail: info@pda.org
Web site: www.pda.org