

Technical Report No. 51  
Biological Indicators for  
Gas and Vapor-Phase  
Decontamination Processes:  
Specification, Manufacture,  
Control and Use



**2010**

# Table of Contents

<b>1.0 INTRODUCTION .....</b>	<b>2</b>
1.1 Purpose / Scope .....	3
<b>2.0 GLOSSARY OF TERMS .....</b>	<b>4</b>
<b>3.0 THE SCIENCE .....</b>	<b>7</b>
3.1 Sporicidal Mechanism of Lethality .....	7
3.2 Lethality Mechanism of Oxidizing Agents .....	7
3.3 Oxidation within Actively Metabolizing Cells....	8
3.4 Lethality Mechanism of Alkylating Agents .....	8
3.5 Ideal Lethality Kinetics ofSporicidal Processes .	9
3.6 System D-Value Determination .....	10
<b>4.0 BIOLOGICAL INDICATOR DEVELOPMENT.....</b>	<b>12</b>
4.1 Design of a Biological Indicator .....	12
4.1.1 Safety .....	12
4.1.2 Microorganism Selection .....	13
4.1.2.1 Desirable Characteristics of the Biological Indicator.....	13
4.1.3 Inoculum Pattern .....	14
4.2 Carrier Determination .....	14
4.2.1 Desirable Characteristics of the Carrier	14
4.3 Primary Pack Characteristics .....	16
4.4 Secondary Pack Characteristics .....	17
4.5 Compliance Objective.....	17
<b>5.0 MANUFACTURE OF BIOLOGICAL INDICATORS .</b>	<b>18</b>
5.1 Principles of BI Manufacturing .....	18
5.2 Starting Materials.....	19
5.3 Change Control .....	20
5.4 Production Process Stages for Spore Lots.....	20
5.5 Management of Master Seed Stock and Working Seed Lots .....	22
5.6 Inoculation of Carriers and Assembly into the Primary Packaging.....	22
5.7 Factors requiring consideration When Using and Storing Bls .....	23
5.7.1 The Growth Media .....	24
5.7.2 Manufacturing In-Process Controls ....	24
5.7.3 Quality Control Methods .....	25
5.8 Storage and Distribution.....	25
<b>6.0 QUALITY MANAGEMENT.....</b>	<b>26</b>
6.1 Quality Assurance During Manufacture.....	26
6.2 Audit Documentation and Certification Requirements - User Audit of Supplier.....	26
<b>7.0 USE/APPLICATION .....</b>	<b>28</b>
7.1 Selecting the Appropriate Spore Type .....	28
7.2 Qualification of Bls .....	28
7.2.1 Enumeration and System D-Values .....	28
7.3 Cycle Development Studies .....	29
7.3.1 Cycle Development Approaches .....	30
7.4 Recovery of Bls .....	31
7.4.1 Sterilant Retained on the BI.....	31
7.5 Cycle Validation .....	31
<b>8.0 ADDRESSING ANOMALOUS BI RESULTS.....</b>	<b>32</b>
8.1 Investigation of Anomalous Results .....	32
<b>9.0 SUGGESTED READING.....</b>	<b>34</b>
<b>10.0 REFERENCES.....</b>	<b>35</b>

## FIGURES AND TABLES INDEX

<b>Figure 1.0-1</b>	<b>Biological Indicator Lifecycle .....</b>	<b>2</b>	<b>Table 7.1-1</b>	<b>Recommended Microorganisms.</b>	<b>28</b>
<b>Figure 3.5-1</b>	<b>Idealized Plot of Death Kinetics....</b>	<b>9</b>	<b>Table 8.1-1</b>	<b>Factors That May Affect the Performance of Biological Indicators .....</b>	<b>33</b>
<b>Figure 3.5-2</b>	<b>Typical Survivor Curve .....</b>	<b>10</b>	<b>Table 8.1-2</b>	<b>Manufacturing Issues That May Affect Bacterial Spore Resistance to Physical and Chemical Stresses .....</b>	<b>33</b>
<b>Figure 4.2.1-1</b>	<b>Clean Spores on Stainless Steel Carrier .....</b>	<b>15</b>	<b>Table 9.0</b>	<b>Standards Relevant to Sporicidal Vapor-phase Decontamination Processes.....</b>	<b>34</b>
<b>Figure 4.2.1-2</b>	<b>Encrustation of the Spore Layer on Stainless Steel Carrier .....</b>	<b>15</b>			
<b>Figure 4.2.1-3</b>	<b>Clumped Spores on Paper Carrier .....</b>	<b>16</b>			
<b>Figure 5.4-1</b>	<b>Flow Chart of the Preparation of a Spore Suspension .....</b>	<b>21</b>			